

A Modeless Convex Hull Algorithm for Simple Polygons

M. A. Peshkin and A. C. Sanderson

CMU-RI-TR-85-8

**The Robotics Institute
Carnegie-Mellon University
Pittsburgh, Pennsylvania 15213**

May 1984

Copyright © 1985 Carnegie-Mellon University

This work was supported by a grant from the Xerox Corporation, and by the Robotics Institute, Carnegie-Mellon University.

Table of Contents

1. Background	1
2. The Modified Algorithm	3
3. Convex Hull Algorithm	5
4. Acknowledgements	6



List of Figures

- Figure 1-1: Bykat's counterexample to Sklansky's algorithm

2

- Figure 2-1: A typical polygon used for testing the algorithm

4

Abstract

We present an order n algorithm which computes the convex hull of a two-dimensional non-self-intersecting polygon. The algorithm recovers much of the simplicity of the one presented by Sklansky (Sklansky, 1972), and subsequently disproved. Unlike several algorithms which have been found since then, the modified algorithm executes a truly uniform (modeless) traversal of all the vertices of the polygon. This makes it possible to extend the algorithm to extract geometric information about the interior of the polygon.



1. Background

A simple algorithm for finding the convex hull of a polygon was described in (Sklansky, 1972). This algorithm was order n , and used a stack to support a backtracking technique. Subsequently, A. Bykat (Bykat, 1978) found that Sklansky's algorithm fails in some cases. Recently several algorithms have been published (Bhattacharya, 1984) (Graham, 1983) which overcome these failures at the expense of increased algorithmic complexity.

It is hoped that the algorithm presented here will prove useful because it is simpler than previous algorithms, and because unlike them it explores the interior of the polygon. It can be used as a foundation for other algorithms which extract useful geometric information about the interior of the polygon (Peshkin, 1985).

We assume that the polygon is described as a sequence of vertices in the plane. The vertices form a closed, non-intersecting chain. They are numbered 0 through $n-1$ for a counter-clockwise (CCW) traversal of the polygon's perimeter. Vertex n is defined for convenience as being identical to vertex 0.

We also require that vertex 0 (and n) be a point on the convex hull. This condition is satisfied by choosing vertex 0 so that it has the most negative x coordinate.

Sklansky's algorithm is simple and intuitive. It is based on a stack, which in the end contains the vertices of the convex hull. Initially the stack contains vertices 0 and 1. sp is a pointer to the top element of the stack.

```

for i = 2, n
    while i right of ray( stacksp-1, stacksp )
        pop                                discard the top element
    push i                                  push i to the stack
end

```

The Sklansky algorithm works by considering a triplet of vertices: next-to-top-of-stack, top-of-stack, and a new vertex i . The top-of-stack vertex is rejected if the triplet forms a right turn.

The Sklansky algorithm sometimes fails, finding a left-turning sequence of vertices which self-intersects. Figure 1-1 shows the counterexample found by Bykat, and (dotted) the result of the

algorithm when applied to it. The algorithm fails because after vertex 2 is discarded, the triplet (1, 3, 4) is a left turn, and vertex 3 is not discarded.




Figure 1-1: Bykat's counterexample to Sklansky's algorithm

2. The Modified Algorithm

The algorithm can be made to work properly in all cases if we can detect a class of situations like Bykat's counterexample. In Figure 1-1, for example, the situation is detected when i becomes 4. The proper response is always to reject (pop) the top-of-stack vertex, which in the example is vertex 3. The situation can be detected by comparing the angle of $\text{ray}(i-1, i)$ as computed by two different methods, called the *cumulative angle* and the *path angle*. Disagreement of the two indicates that the top vertex on the stack should be discarded regardless of whether it forms a left turn.

The *cumulative angle* is the angle of a $\text{ray}(i-1, i)$ computed by following the rotation of the polygon, starting at vertex 0. If the positive x axis is used to define 0 degrees, then $\text{ray}(0,1)$ is -70 degrees, $\text{ray}(1,2)$ is +45 degrees, $\text{ray}(2,3)$ is -45 degrees, and $\text{ray}(3,4)$ is -180 degrees.

The *path angle* is the angle of a $\text{ray}(i-1, i)$ computed by following the vertices on the stack, starting at vertex 0. $\text{Ray}(0,1)$ is -70 degrees, $\text{ray}(1,3)$ is +15 degrees, and $\text{ray}(3,4)$ is +180 degrees.

The cumulative and path angles always differ by a multiple of 360 degrees. Therefore it is not necessary to compute them with any precision; computation of the cumulative *quadrant* and path *quadrant* is sufficient. Since the remainder of the algorithm requires only a left/right comparison, there is no need to compute trigonometric functions at all. If trigonometric functions are used, some care must be exercised in testing equality of the cumulative and path angles, otherwise round-off errors may cause disagreement to be reported when in fact there is none.

In the description of the algorithm which follows, we have computed the cumulative and path angles by using trigonometric functions (implicit in the CCW function). This makes the algorithm easier to understand, and avoids the uninteresting programming details of quadrant counting. Since the path angles are then already available, we have described the left/right test in terms of path angles as well.

In the algorithm, cumangl_i is maintained as the cumulative angle of the edge $(i-1, i)$. Pathangl_j is at all times maintained as the path angle of the ray $(\text{stack}_{j-1}, \text{stack}_j)$.

To verify the correctness of the algorithm, we have tested it on 25000 randomly generated polygons, of which Figure 2-1 is a typical example. Results were compared with the output of an order n^2 algorithm which treats the vertices of the polygon as an unordered collection of points. The modified algorithm found the correct convex hull in each case.

A straightforward implementation of the modified algorithm in the language "C" was compared to a similar implementation of Sklansky's algorithm. On a VAX-780 the modified algorithm ran at about 1/5 the speed of Sklansky's algorithm, primarily due to the computation of arctangents. When only *quadrants* were computed, to avoid the arctangents, the algorithm ran at about 1/3 the speed of Sklansky's algorithm. The small improvement is due to the greater complexity of computing the quadrants.




Figure 2-1: A typical polygon used for testing the algorithm

3. Convex Hull Algorithm

INPUT:

(x_i, y_i) , for $0 \leq i \leq n$, are the cartesian coordinates of the vertices of the polygon.

Vertex 0 is extremal in the negative x direction.

Vertices 0 and n are equivalent.

The polygon is traversed in a CCW sense with increasing subscript.

OUTPUT:

$stack_i$, for $0 \leq i \leq n$, are the vertex numbers of the vertices on the convex hull.

THE ALGORITHM:

definition of function $CCW(k, j, i)$, ranging from $-\pi$ to π :

if $(k = -1)$ $CCW(k, j, i) =$ the CCW angle from the positive x axis to ray $(x_j, y_j) (x_i, y_i)$

if $(k \geq 0)$ $CCW(k, j, i) =$ the CCW angle from ray $(x_k, y_k) (x_j, y_j)$ to ray $(x_j, y_j) (x_i, y_i)$

initialize

```

stack0 ← -1
stack1 ← 0    stack2 ← 1
pathangl1 ← 0    pathangl2 ← CCW(-1, 0, 1)
cumangl ← pathangl2
sp ← 2

```

compute

for $i = 2$ to n

cumangl ← cumangl + $CCW(i-2, i-1, i)$ *update angles*

pathangl_{sp+1} ← pathangl_{sp} + $CCW(stack_{sp-1}, stack_{sp}, i)$

if pathangl_{sp+1} - cumangl > .1 *test for disagreement*

reject i-1

sp ← sp - 1

pathangl_{sp+1} ← pathangl_{sp} + $CCW(stack_{sp-1}, stack_{sp}, i)$

while sp > 1 and pathangl_{sp+1} ≤ pathangl_{sp} *test for right turn*

sp ← sp - 1

pathangl_{sp+1} ← pathangl_{sp} + $CCW(stack_{sp-1}, stack_{sp}, i)$ *reject stack_{sp}*

sp ← sp + 1

stack_{sp} ← i

end

4. Acknowledgements

The authors acknowledge the helpful comments of Gerard Cornuejols and Chris Van Wyk. We also thank the anonymous referee who found a mistake in a previous algorithm.

This work was supported by a grant from the Xerox Corporation, and by the Robotics Institute, Carnegie-Mellon University.

References

- B. Bhattacharya and H. Elgindy. A New Linear Convex Hull Algorithm for Simple Polygons. *IEEE Transactions on Information Theory*, Jan 1984, *IT-30(1)*, 85-88.
- A. Bykat. Convex Hull of a Finite Set of Points in Two Dimensions. *IPL*, Oct 1978, *7(6)*, 296-298.
- M. A. Peshkin and A. C. Sanderson. *Reachable Grasps on a Polygon: The Convex Rope Algorithm*. Technical Report CMU-RI-TR-85-6, Carnegie-Mellon University Robotics Institute, 1985.
- J. Sklansky. Measuring Concavity on a Rectangular Mosaic. *IEEE Transactions on Computers*, Dec 1972, *C-21(12)*, 1355-1364.

Title: A Simple Order N Algorithm

Author(s) M. Peshkin and A. C. Sanderson

Submitted by: M. Peshkin Date: 28 January 1985

Referred by: M. Mason Date: 5 February 1985

Status:

1. M Peshkin Date: **FEB 19 1985**

2. M. Mason Date: 4/15/85

3. _____ Date: _____

Technical Report Number: CMU-RI-TR-_____

Given for Printing: _____

Comments:

FEB 19 1985

CMU Robotics Institute Technical Report Review

The purpose of the Robotics Institute Technical report series is to provide scientists and sponsors with a timely and scientific quality description of institute research. In order to maintain this level of quality, all submissions are reviewed in-house before publication. We would appreciate if you could review the enclosed report and return it and the review sheet to Nancy Serviou within *two weeks* of receipt. If you find you are unable to review the report, please contact me at x8861.

Title: A Simple Order N Algorithm

Author: M. Peshkin and A. C. Sanderson

Date: 15 February 1985

Reviewer: Matt Mason

Please check the appropriate boxes and provide comments where necessary.

Accept

[X] Modify (specified below) and return.

[] Reject (reasons described below)

[] Contains sponsor proprietary material (specify below)

[] Submit to journal _____

Comments:

1. Simple polygon ought to be in the title.
2. So it is linear. But since you're comparing it with other linear algorithms, more performance details would be useful. If it's linear but 100 times slower than some other algorithms, it's useless even if it is simple.
3. Your main point seems to be that it is a simple algorithm, but you don't make the point. You say that the idea of cumulative angle is the key, and that it is novel. I've used it myself in analysis, to obtain the order of a pole for instance, so I find that a surprising statement. The point would be easier to accept if you told us how earlier papers test for convexity.

(continued)